References - Laser photocoagulation

- 1. Macular Photocoagulation Study Group. Argon laser photocoagulation for senile macular degeneration. Results of a randomized clinical trial. Arch Ophthalmol 1982; 100: 912-918.
- 2. Macular Photocoagulation Study Group. Argon laser photocoagulation for neovascular maculopathy: three-year results from randomized clinical trials. Arch Ophthalmol 1986; 104: 694-701.
- 3. Macular Photocoagulation Study Group. Krypton laser photocoagulation for idiopathic neovascular lesions. Results of a randomized clinical trial. Arch Ophthalmol 1990; 108: 832-837.
- 4. Macular Photocoagulation Study Group. Persistent and recurrent neovascularization after Krypton laser photocoagulation for neovascular lesions of age-related macular degeneration. Arch Ophtahlmol 1990b; 108: 825-833.
- 5. Macular Photocoagulation Study Group. Argon laser photocoagulation for neovascular maculopathy: five-year results from randomized clinical trials. Arch Opthalmol 1991; 109: 1109-1114.
- 6. Macular photocoagulation Study Group. Laser photocoagulation of subfoveal neovascular lesions in age-related macular degeneration: results of a randomized clinical trial. Arch Ophtahlmol 1991b; 109:1220-1231.
- 7. Macular Photocoagulation Study Group. Laser photocoagulation of subfoveal recurrent neovascular lesions in age-related macular degeneration: Results of a randomized clinical trials. Arch Opthalmol 1991c; 109: 132-1241.
- 8. Macular photocoagulation Study Group. Subfoveal neovascular lesions in agerelated macular degeneration: guidelines for evaluation and treatment in the Macular Photocoagulation Study. Arch. Ophtahlmol 1991d; 109:1242-1257.
- 9. Macular Photocoagulation Study Group. Five-year follow-up of fellow eyes of patients with age-related macular degeneration and unilateral extrafoveal choroidal neovascularization. Arch Ophthalmol 1993; 111:1189-1199.
- Macular Photocoagulation Study Group. Laser photocoagulation of subfoveal neovascular lesions of age-related macular degeneration. Arch Ophthalmol 1993b; 111:1200-1209.

- 11. Macular Photocoagulation Study Group. Laser photocoagulation for juxtafoveal choroidal neovascularization. Arch Opthalmol 1994a; 112: 500-509.
- 12. Macular Photocoagulation Study Group. Persistent and recurrent neovascularization after laser photocoagulation for subfoveal choroidal neovascularization of agerelated macular degeneration. Arch Opthalmol 1994b; 112:489-499.
- 13. Macular Photocoagulation Study Group. Visual outcome after laser photocoagulation for subfoveal choroidal neovascularization secondary to age-related macular degeneration: the influence of initial lesion size and initial visual acuity. Arch Ophthalmol 1994c; 112: 480-488.
- 14. Macular Photocoagulation Study Group. Laser photocoagulation for juxtafoveal choroidal neovascularization: five-year results from randomized clinical trials. Arch Ophthalmol 1994d; 112: 500-509.
- 15. Macular Photocoagulation Study Group. Occult choroidal neovascularization: influence of visual outcome in patients with age-related macular degeneration. Arch Ophthalmol 1996; 114: 400-412.
- 16. Macular photocoagulation Study Group. Risk factors for choroidal neovascularization in the second eye of patients with juxtafoveal or subfoveal neovascularization secondary to age-related macular degeneration. Arch Ophthalmol.1997; 115:741-747.
- 17. Morfields Macular Study Group. Treatment of senile disciform macular degeneration: a single blind randomized trial by argon laser photocogulation. Br J Ophthalmol 1982; 66:745-753.
- 18. Soubrane G, Coscas G, Français C, Koenig F. Ocult subretinal new vessels in agerelated macular degeneration: natural history and early laser treatment.

 Ophthalmology 1990; 97:649-657.
- 19. Coscas G, Soubrane G, Ramahefasolo. Perifoveal laser treatment for subfoveal choroidal new vessels in age-related macular degeneration. Results of a randomized clinical trial. Arch Ophthalmol 1991; 109:1258-1265.
- 20. Vartner P. Applying number-need-to treat (NNT) analysis to ophthalmic clinical trials. Optom Vis Sci 2005; 83: 919-930.
- 21. Vander JF, Morgan CM, Schatz H, 1989. Growth rate of subretinal neovascularization in age-related macular degeneration. Ophthalmology 96:1422-1426.

- 22. Guyer DR, Yannuzzi LA, Slakter JS, et al. Classification of choroidal neovascularization by digital indocyanine green videoangiography. Ophthalmology 1996;103:2054–60.
- 23. Fernandes LHS, Freund KB, Yannuzzi LA, Spaide RF, Huang SJ, Slakter JS, Sorenson JA, 2002. The nature of focal areas of hyperfluorescence or "hot spots" imaged with indocyanine green angiography. Retina. 2002; 22:557-568.
- 24. Slakter JS, Yannuzzi LA, Sorenson JA, et al. A pilot study of indocyanine green videoangiography-guided laser treatment of occult-choroidal neovascularization in age-related macular degeneration. Arch Ophthalmol 1994;112:465–72.
- 25. Regillo SD, Benson WE, Maguire JI, Annesley WH. Indocyanine green angiography and occult-choroidal neovascularization. Ophthalmology 1994;101:280–8.
- 26. Lim JI, Sternberg PJ, Capone AJ, et al. Selective use of indocyanine green angiography and occult-choroidal neovascularization. Am J Ophthalmol 1995;120:75–87.
- 27. Introini U, Brancato R, Pece A. ICG-guided laser photocoagulation of occult-CNV. Ophthalmologica 1998;215:295–300.
- 28. Guyer DR, Yannuzzi LA, Ladas I, et al. Indocyanine-green guided laser photocoagulation of focal spots at the edge of plaques of choroidal neovascularization. Arch Ophthalmol 1996;114:693–
- 29. Kuhn D, Meunier I, Soubrane G, Coscas G. Imaging of chorioretinal anastomoses in vascularized retinal pigment epithelium detachments. Arch. Ophthalmol. 1995; 113: 1392-1398.
- 30. Johnson TM, Glaser BM. Focal laser ablation of retinal angiomatous proliferation. Retina 2006; 26 (7): 765-72.
- 31. Guyer DR, Yannuzzi LA, Ladas I, Slakter JS, Sorenson JA, Orlock D. Indocyanine green-guided laser photocoagulation of focal spots at the edge of plaques of choroidal neovascularization. Arch Ophthalmol 1996; 114 (6): 693-697.
- 32. Gomez-Ulla F, Gonzalez F, Torreiro MG. Diode laser photocoagulation in idiopathic polypoidal choroidal vasculopathy. Retina 1998; 18 (5): 481-483.
- 33. Yuzawa M, Mori R, Haruyama M. A study of laser photocoagulation for polypoidal choroidal vasculopathy. Jpn J Ophthalmol 2003; 47 (4): 379-384.

34. Yamanishi A, Kawamura A, Yuzawa M. Laser photocoagulation for idiopathic polypoidal choroidal vasculopathy. Jpn J Clin O 1998; 52: 1691-1694.

View PDF